BSI-Inspectorate America 178 Mortland Road Searsport, Maine 04974 (207)548-6440



QUALITY CERTIFICATE

Vessel Customer SHORE TANK NO. 3

Customer SPRAGUE
Operation ANALYSIS

Port Date

Terminal

SEARSPORT, MAINE

-

SP/05/0915

September 20, 2005 SPRAGUE Reference V-05-01368 Sample # 326916

Report

Name of material being tested Description of sample source Samples Drawn by (company) Samples Tested by (company)

NO. 6 FUEL OIL 2.0%

EX. SHORE TANK NO. 3 AFTER DISCHARGE OF NORMAN MCLEOD BSI-INSPECTORATE BSI-INSPECTORATE

Tests being Performed	Test method	Minimum Maximum	Sample Source
GRAVITY, API @ 60 F FLASH POINT, F VISCOSITY, SSF @ 122 F POUR POINT, F WATER & SEDIMENT, % VOL. SULPHUR, % WT. ASH, % WT. VANADIUM, PPM SODIUM, PPM BTU'S/POUND BTU'S/GALLON NITROGEN, % WT.	ASTM D 4052 ASTM D 93 ASTM D 445/2161 ASTM D 97 ASTM D 1796 ASTM D 4294 ASTM D 482 AA/AE AA/AE CALCULATION CONVERSION ASTM D 5762		11.7 200+ 234 +32.0 0.05 1.30 0.024 19 14 18,425 151,619 0.291 11.10
CARBON RESIDUE, % WT. ASPHALTENES, % WT.	ASTM D 4530 IP-143		2.70
SPRAGUE PROVIDES THE ATTACHED INSPECTION REPORT/ANALYSIS REPRESENTING THE SPECIFICATIONS OF THE PRODUCT AT THE SPRAGUE TERMINAL IN TANK ON THE DATE OF INSPECTION NOTED ON THE CERTIFICATE. THIS ANALYSIS IS PROVIDED TO THE CUSTOMER FOR THE PURPOSE OF ESTABLISHING THE INDEPENDENTLY VERIFIED PRODUCT SPECIFICATION ON A COMPOSITE BASIS IN SPRAGUE'S TERMINAL SHORE TANK AS NOTED ON THE CERTIFICATE. THE INSPECTION REPORT IS NOT TO BE USED FOR ANY OTHER PURPOSE. SPRAGUE DISCLAIMS ANY LIABILITY FOR THE PRODUCT AFTER DELIVERY BY SPRAGUE TO CUSTOMER. SPRAGUE DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR AN INTENDED USE EXCEPT AS MAY BE SPECIFICALLY SET FORTH IN WRITING IN ANY CONTRACT OR TERMS OF SALE BETWEEN SPRAGUE AND A BUYER OF PRODUCT. SPRAGUE ASSUMES NO LIABILITY FOR CLAIMS OR LOSSES THAT MAY ARISE FROM CUSTOMER'S USE OF THIS INSPECTION REPORT/ANALYSIS.			

DENNIS E. CURTIS

Inspectorate America Corp (Searsport, Me.)